

# STATE OF HAWAII

## REQUEST FOR SOLE SOURCE

STATE PROCUREMENT OFFICE  
STATE OF HAWAII

TO: Chief Procurement Officer

FROM: Health / Adult Mental Health / Hawaii State Hospital  
(Department/Division/Agency)

Pursuant to § 103-D, HRS, and Subchapter 9, Chapter 3-122, HAR, the Department requests sole source approval to purchase the following:

## Description of goods, services, or construction:

To install and expand a SimplexGrinnell Security Escort Duress System into the Taro Lo`i/Nursery area at Hawaii State Hospital due to expanded patient programming areas. The system shall have the capability to provide the following services:

1. Personal Safety Tracking
2. Access Control Integration
3. Alarm Management
4. Dynamic Graphics Maps
5. Graphical Map Integration
6. Closed Circuit TV Integration
7. Closed Circuit TV Alarm Interface
8. Management Reports
9. Fire Watch Alarm Integration

Name of Vendor:	SimplexGrinnell	Cost:
Address:	99-1379 Koaha Place	\$88,810.00, including tax
	Aiea, HI 96701-326	

Term of Contract:	From:	To:	Prior Sole Source Reference No.
	04/01/04	06/30/04	03-59-J

## The goods, services, or construction has the following unique features, characteristics, or capabilities:

The Hospital already has the SimplexGrinnell Security Management System in all their patient occupied buildings. The expansion of this system to the Nursery/Taro Lo`i areas at the Hawaii State Hospital will support the expansion of patient programming and vocational activities and are essential to the success of the Treatment Mall in an area of the Hospital not previously used those purposes.

The expanded **Security Escort Duress System** will be able to be integrated with existing system and will be able to locate staff at any location on the grounds of the Hawaii State Hospital, including the Taro Lo`i/Nursery area to allow security and/or clinical personnel to respond to emergency situations whenever the transmitter carried by staff is activated. The existing **Security Escort Duress System** will be expanded to the Taro Lo`i/Nursery area of the hospital and will have a map of the Hospital including this area shown on the computer monitor and will have a flashing light on the screen to indicate the location of the staff. The expansion of this system will allow the system to cover the current expanded areas of patient related activities to assist in staff safety and security.

## REQUEST FOR SOLE SOURCE (Cont.)

How the unique features, characteristics, or capabilities are essential for the agency to accomplish its work:

The proposed expansion of the **Security Escort Duress System** can locate any staff in the buildings as well as outside on the hospital's campus in the event that immediate emergency assistance is required for safety and security reasons. This ability to determine and track the exact location of the staff will reduce response time by hospital staff and/or security. The system is already installed in the main perimeter area of the Hospital both in the interior of buildings and the exterior grounds. In order to maintain system compatibility, vendor accountability for the whole system, and new system warranties, it is essential that SimplexGrinnell install this expansion of the Hospital-wide **Security Escort Duress System**.

The following other possible sources for the goods, services, or construction were investigated but do not meet our needs because:

The area of expansion was not included in the initial installation due to patient programming and vocational activities being expanded as required under the Department of Justice HSH Remedial Plan for Compliance in the development of the Treatment Mall delivery system of patient care.

Direct Questions To: Ron Kurasaki / Mary San Nicolas

Phone: 808-586-4560 / 808-236-8253

*I certify that the information provided above is to the best of my knowledge, true, correct and that the goods, services, or construction are available through only one source.*

Daniel K. Kadohiko 3-25-04  
 FOR Department Head or Designee Date  
Deputy Director  
 Title (If other than Department Head)

Chief Procurement Officer's Comments:

Hawaii Instrumentation and Controls, Inc. has stated they have access to software, parts and training for the SimplexGrinnell (I-Secure system) that is currently installed at the Hawaii State Hospital. Agency shall investigate the claim of this vendor. If they do have access, work shall be competitively bid.

Please ensure adherence to applicable administrative and statutory requirements.

Expenditure may be processed through a purchase order: Yes ☐ No: ☐. If no, a contract must be executed and funds certified.

☐ APPROVED

☐ DISAPPROVED

*NO ACTION REQUIRED*

Adam J. Fink  
 Chief Procurement Officer

5/3/04  
 Date

To install and expand a SimplexGrinnell Security Escort Duress System into the Taro Lo`i/Nursery area at Hawaii State Hospital due to expanded patient programming areas.

**Vendor:** SimplexGrinnell

**Address:** 99-1379 Koaha Place  
Aiea, HI 96701-3269

<b>Term of Contract:</b>	<b>From:</b>	<b>To:</b>	<b>Cost:</b>
	04/01/04	06/30/04	<b>\$88,810.00, including tax</b>

<b>Direct any inquiries to:</b>		<b>Phone Number:</b>
<b>DOH, ASO, Facilities, Ron Kurasaki</b>		<b>586-4560 /</b>
Department:	Health, Hawaii State Hospital	<b>236-8253</b>
Contact Name/Title:	Mary San Nicolas, Supervisor	
	Telecommunications Services Unit	<b>Fax Number:</b>
Address:	45-710 Keaahala Road, Kaneohe, HI 96744	<b>586-4444</b>
		<b>247-7335</b>

Date Notice Posted: MARCH 31, 2004

Submit written objections to this notice to issue a sole source contract within seven calendar days from the date this notice was posted to:

Chief Procurement Officer  
Office/Agency: DAGS, State Procurement Office  
Address: P.O. BOX 119  
Honolulu, HI 96810